


Specifications

Model name	P672DL	
Imaging Device	0.95inch DMD™×1 (DDR)	
Light Source	UHP 100W/120W X2	
Resolution	1400×1050 dots (SXGA+)	
Brightness	600cd / m ² (120W X2 using)	
Contrast Ratio	1200:1 (Typical)	
Screen Size	67inch, 4:3 (W:1370mm × H:1027.5mm)	
Screen Frame (One side)	0.4mm	
Viewing Angle	Horizontal: 150°, Vertical: 60°	
Number of colors	16,770,000 colors	
Operating Temperature	10~35°C (50°F~95°F)	
Operating Humidity	30%~70% (No condensation)	
Power Voltage	AC100-240V (±10%)	
Power Consumption	380W (380VA) (120W X2 using)	
Dimensions	W1370 × H1327.5 × D840 (mm) W53.9 × H52.3 × D33.1 (inch)	
Weight	105kg (231 lbs)	
Internal Processor	Up to 6×6	
Input Connectors	Analog RGB	D-sub 15pin×1 5BNCs×1
	Digital	DVI-D×1
	*Video	BNC×1 (Composit)
	HD	D-connector (D5) (720p, 1080i)
	Control signal	RS-232C (D-sub 9pin×1), RS-485 (RJ-45)
Output Connectors	Wired remote	3.5mm mini jack
	Digital	DVI-D×1
	*Video	BNC×1 (Composit)
Input Signal	Control signal	RS-485 (RJ-45)
	*Video signal	NTSC, PAL
Input Frequency	RGB signal	VGA, SVGA, XGA, SXGA, SXGA+, UXGA (Compressed)
	Horizontal	15kHz~94kHz
	Vertical	50Hz~85Hz
*Wireless Remote Control	IR sensor for an optional IR remote controller	
*Option		

Dimensions



WARNING : Incorrect operation and handling of this product, caused by ignoring this notice may result in the death or injury to the user(s) and / or other third parties.



CAUTION : Incorrect operation and handling of this product, caused by ignoring this notice may result in serious injury to the user(s) and/or third parties and possible damage to other property.

TOSHIBA LIGHTING & TECHNOLOGY CORPORATION

Display System Solution Department, Lighting Control & Communication System Division

Minami Shinagawa JN BLDG. 2-13, Minami Shinagawa 2-chome, Shinagawa-ku, Tokyo 140-8660. Japan

Phone : +81-3-5463-8804 Facsimile : +81-3-5463-8840

Web Site Address : http://www.tlt.co.jp/tlt/index_e.htm

- Specifications may change without notice.
- As part of ongoing product development Toshiba Lighting & Technology Corporation reserve the right to make changes, improvements and other modifications as required and that such changes may be implemented without notice to others.
- The user and/or installer must pay full consideration to local Health & Safety policies when installing any equipment. In addition Toshiba Lighting & Technology Corporation recommend that any installation of two or more cubes in height must be securely fastened to prevent any toppling or other instability.
- DLP™ and DMD™ are trademarks of Texas Instruments, Inc.
- VGA and XGA are trademarks of International Business Machines, Inc.
- All other trademarks are trademarks of their respective owners.

Printed in Japan, April 2005

C-2527 0504 3t AD